





















**Z33 NISMO PARTS LIST**
**ENGINE)**

Description	Part Number	P/C	Japan Retail Price (JPY)	Remarks	Price in Euro
VERUSPEED Engine Oil Filter NS4	 15208-RN010	1	1.900	The filtering surface of the oil filter was enlarged to reduce pressure loss, improve filtering efficiency, and achieve long life.	13,73
Engine Oil Cooler Kit	 21300-RSZ30	1	125.000	This air-cools the core to keep the oil temperature stable even during hot summer circuit driving. It comes with a thermostat to prevent overcooling during general driving.	903,29
Racing Radiator Cap	 21430-RS012	1	3.200	Out side diameter: $\phi$ 45 Operation valve pressure: P = 0.13MPa Seal: Heat resistant silicone rubber	23,12
Oil Filler Cap	 15255-RN013	1	6.200	This construction is place over the genuine part oil filler cap and functions as a ratchet mechanism. This prevents the cap from being overtightened.	44,80
Fuel Filler Cover	 17251-RN011	1	5.200	This is a fashionable cover made of cast aluminum that fits over the fuel filler cap to give a high-class appearance that is not overstated.	37,58
Low-Temperature Thermostat	 21200-RSZ30	1	9.500	This thermostat circulates the cold coolant to the radiator more quickly then the genuine part thermostat to reduce the drain on power from increasing the coolant temperature during circuit and other driving. A suitable open valve setting temperature is set taking into consideration the impact on the engine control system.	68,65
S-tune Sports Air Element	 16546-RN075	1	8.500		61,42
Power Steering Oil Cooler	 49790-RSZ30	1	22.000	The core of the genuine part power steering oil cooler was enlarged and inner fins were added. This stabilizes the fluid temperature even during hot summer circuit driving. This type replaces the genuine part, so the replacement work is simple.	158,98
Reinforced Head Gasket	 11043-RRZ30	1	30.000	Metal, Molybdenum coating, $\phi$ = 96.5, t = 0.7mm	216,79
High Lift Cam Shaft Set Spec-1	 1300B-RRQ01-NK	1	128.000	INT: 276° Lift: 10.7mm, EXH: 256° Lift: 10.1mm	924,97
High Lift Cam Shaft Set Spec-2	 1300D-RRQ02	1	220.000	INT: 284° Lift: 11.0mm, EXH: 268° Lift: 10.5mm	1589,79
Valve Spring corresponding High Lift	 13203-RRZ30-S	1	24.000	SWOSC-VX oval shape, 24 pcs/set	173,43
High Compression Ratio Cylinder Head Spec-1	 1104A-RRZ30	1	170.000	INT Valve Seat internal diameter ( $\phi$ 31)	1228,47
High Compression Ratio Cylinder Head Spec-2	 1104B-RRZ35	1	228.000	INT seat internal diameter up with R ( $\phi$ 31→32)	1647,60
VQ35 Titanium Valve System	 1320S-RRZ30	1	70.000	For NISMO high compression Ratio Cylinder head, Valve diameter $\phi$ 36.2 (IN)/ $\phi$ 31.2(EX)	505,84

Half processed cam shaft set (Standard material)		1300F-RRVQL	1	92.000	Work Angle: 284°Lift: can be processed till about 11.0mm	664,82		
Half processed cam shaft set (High Lift material)		1300F-RRVQH	1	148.000	Work Angle: 312° Lift: can be processed till about 14.0mm	1069,49		
High Strength Crank Shaft		12200-RRZ30	1	248.000	SNCM, PIN fatigue strength + 80% parts	1792,13		
Reinforced Conn Rod Bolt Set		12109-RRZ30-S	1	24.000	14T SNCM240, Fatigue strength + 40% parts, 12 pcs/set	173,43		
Reinforced Engine Metal		1.500~1.503	STD 0	12110-RRV50	6	7.000	Identification color: black, F112, Overlaid gilding, Flash gilding	50,58
		1.503~1.506	STD 1	12110-RRV51	6	7.000	Identification color: blown, F112, Overlaid gilding, Flash gilding	50,58
		1.506~1.509	STD 2	12110-RRV52	6	7.000	Identification color: green, F112, Overlaid gilding, Flash gilding	50,58
		2.000~2.003	STD 0	12207-RRV50	4	8.000	Identification color: black, F112, Overlaid gilding, Flash gilding	57,81
		2.003~2.006	STD 1	12207-RRV51	4	8.000	Identification color: blown, F112, Overlaid gilding, Flash gilding	57,81
		2.006~2.009	STD 2	12207-RRV52	4	8.000	Identification color: green, F112, Overlaid gilding, Flash gilding	57,81
		2.009~2.012	STD 3	12207-RRV53	4	8.000	Identification color: yellow, F112, Overlaid gilding, Flash gilding	57,81
		2.012~2.015	STD 4	12207-RRV54	4	8.000	Identification color: blue, F112, Overlaid gilding, Flash gilding	57,81
2.015~2.018	STD 5	12207-RRV55	4	8.000	Identification color: pink, F112, Overlaid gilding, Flash gilding	57,81		
2.018~2.021	STD 6	12207-RRV56	4	8.000	Identification color: purple, F112, Overlaid gilding, Flash gilding	57,81		
High Flow Fuel Pump		17040-RRZ30	1	40.000	For Z33 genuine tank, 90→165L/h	289,05		
Reinforced Oil Pump		15010-RRZ30	1	90.000	SCM. Gear strength up part	650,37		
High Angle Deviation VTC		13025-RRZ30	1	32.000	Angle of Deviation 40 → 55 deg (Crank Angle)	231,24		
High Flow Injector		16600-RR710		13.500	480 cc/min	97,56		
High Flow Fuel Pump (Multipurpose)		17010-A7600		11.500	1.3L/min (at P = 29kPa, 3.0kg/cm2), Diameter = φ60, Length = 140 mm, Inlet Shape = Diameter φ8, Outlet Shape = Diameter φ8, Electric Consumption = 7.0 A, Electromagnetic piston type for carburetor, With insulator	83,10		
		17010-RR701		60.000	4.7L/min (at P = 294kPa, 3.0kg/cm2), Diameter = φ60, Length = 155 mm, Inlet Shape = M18 x 1.5, Outlet Shape = M12 x 1.5, Electric Consumption = 10.6A, Roller-vane type	433,58		
		17010-RR710		35.000	3.6L/min (at P = 294kPa, 3.0kg/cm2), Diameter = φ60, Length = 160 mm, Inlet Shape = Diameter φ12.2, Outlet Shape = M12 x 1.5, Electric Consumption = 7.2A, Roller-vane type	252,92		
Fuel Filter Set		16400-RR702-S	1	6.500	With connector and copper washer	46,97		
Fuel Filter Connector		17015-RR000	1	3.200	Metal connector, φ8-M12 x P1.5	23,12		
		9999H-RR306	1	1.900	#6 - M12 x P1.5	13,73		
		9999H-RR406	1	2.300	#6 - M14 x P1.5	16,62		
		9999H-RR808	1	2.800	#6 - M18 x P1.5	20,23		
Fuel Pressure Regulator (Multipurpose)		22670-RR710		12.000	Inlet connection = rubber hose, Outlet connection = rubber hose 22672-RR710 (connector) is required to install.	86,72		
		22670-RR711		14.500	Inlet connection = AN6 screw type connector, Outlet connection = AN6 screw type connector, 22672-RR711 will be required to install.	104,78		
Fuel Pressure Regulator Connector		22672-RR710	1	3.500	Connect to Fuel delivery pipe, For 22670-RR710	25,29		
		22672-RR711	1	5.000	Connect to Fuel delivery pipe, For 22670-RR711	36,13		
Racing Spark Plug		22401-RS345-8		3.200		23,12		
Illigium Spark Plug		22401-RN020-06/07		4.800		34,69		



**INTERIOR)**

Description	Part Number	P/C	Retail Price (JPY)	Remarks		
Combination Meter 	For MT Vehicles	24810-RNZ30	1	85.000	The same design as for the standard equipment meters was used for the scales and panel design to prevent any feeling of unfamiliarity. The speed meter shows the full scale up to 300km/h to give a sporty feeling. Miles are also shown on the speed meter to increase the global image of the Fairlady Z. ■ Meter housing assembly replacement type ■ The NISMO logo is placed on the tachometer scale.	614,24
	For AT Vehicles	24810-RNZ31	1	85.000		614,24
GT Titanium Shift Knob 	For MT Vehicles	32865-RN013	1	12.500	This shift knob has the same design as the knob equipped in the Japan GT Championship machines.	90,33
Sports Seat Color: Light Gray x Dark Gray 	For Right Seat	8700R-RS050	1	88.000	Bucket seats designed for sports driving. Stageless adjustment is made possible by the dial-type reclining adjustment. The high-quality suede artificial leather Ecsaine is used for the seat covers, center, and sides. ■ For left and right seats ■ Color: Light gray x dark gray (with embroidered NISMO logo), ecru (with embroidered NISMO logo) * A seat bracket is required for installation * When installing in vehicles with side air bags, the side air bags must be removed, which will cause the warning indicator in the meter to flash, but installing the separately sold harness will cancel the warning indicator. * For right-hand wheel only	635,92
	For Left Seat	8700L-RS050	1	88.000		635,92
Sports Seat Color: Ecru 	For Right Seat	8700R-RS051	1	88.000	* A seat bracket is required for installation * When installing in vehicles with side air bags, the side air bags must be removed, which will cause the warning indicator in the meter to flash, but installing the separately sold harness will cancel the warning indicator. * For right-hand wheel only	635,92
	For Left Seat	8700L-RS051	1	88.000		635,92
Seat Bracket	For Right Seat	8760R-RSZ30	1	12.000	* For right-hand wheel only	86,72
	For Left Seat	8760L-RSZ30	1	12.000		86,72
Warning Cancel Harness		87619-RS010	2	3.000		21,68
Floor Mat 		74902-RNZ30	1	12.000	Consideration was given to heel support, grip, mat finish, and hold. This makes possible the quick pedal work required for sports driving. ■ Color: Black with red stitching, resin spike pins on the rear surface ■ Aluminum NISMO logo patch attached	86,72
Kicking Plate 		76950-RNZ30	1	19.800	The aluminum kickplate bearing the NISMO logo protects the side step from scratches, dirt and stones when getting in and out of the vehicle. Not only is it practical, but it also shows the joy of owners who take pride in the real thing. ■ Specification: Base Plastic molded part, Plate Aluminum plate with NISMO logo	143,08




**WHEEL)**

Description	Part Number	P/C	Retail Price (JPY) /pc	Remarks		
18 inch Forged Aluminum Wheel LM GT4 (For Front)	 	40300-RN889-BR/SL/WH	2	68.000	18" x 8.5J (8.2Kg)	491,39
18 inch Forged Aluminum Wheel LM GT4 (For Rear)		40300-RN892-BR/SL/WH	2	70.000	18" x 9.5J (8.6Kg)	505,84
19 inch Forged Aluminum Wheel LM GT4 (For Front)		40300-RN893-BR/SL/WH	2	74.000	19" x 8.5J (9.25kg)	534,75
19 inch Forged Aluminum Wheel LM GT4 (For Rear)		40300-RN898-BR/SL/WH	2	76.000	19" x 9.5J (9.35kg)	549,20
Center Cap Flat Type		40315-RN851-BR/S/W	4	2.000	LM GT4 is a cast one-piece model that was designed to be "lightweight", "highly rigid", and "high strength" to get the most out of the NISMO sports suspension series (G-ATTACK) performance.	14,45
Center Cap Standard Type (with Rays logo)		40315-RN851-BR/S/BK	4	3.200		23,12
Center Cap Standard Type (without logo)		40315-RN853-SL/BK	4	3.200		23,12
Wheel Nut		40222-RN700	20	200		1,45
Wheel Wrench Adapter		40325-RN700	1	500		3,61
Fender Mall		63910-RSR45	1	4.800		34,69
Air Valve Cap		99927-RN301	1	2.800		20,23








**SUSPENSION)**

Description	Part Number	P/C	Retail Price (JPY)	Remarks	
S-tune Suspension System	5000S-RSZ30	1	180.000	A stable form with a low-down of approximately 20 mm front and back was achieved. Repeated actual vehicle testing was used to achieve both sporty driving with suppressed vehicle movement and a pleasant ride feeling. The feeling of stability increases further during high-speed driving, and the increased steering response during cornering suppresses the roll speed to achieve handling with controllability.	1300,74
↳ S-tune Suspension Kit	 5300S-RSZ30	1	130.000		939,42
↳ Stabilizer Kit	 54600-RSZ30	1	60.000	A combined setting was used for the suspension and stabilizer to take both the ride feel and driving stability to the next dimension.	433,58





**BRAKE)**

Description		Part Number	P/C	Retail Price (JPY)	Remarks	
High Performance Brake Kit 		40000-RRZ30	1	450.000	This kit contains a 355mm large diameter 1-piece disc rotor, large special specification calipers made by Brembo, and front and rear R-tune Brake pads.	3251,84
S-tune Front Brake Pad		41060-RN25Z	1	18.000		130,07
S-tune Rear Brake Pad		44060-RN14D	1	14.000		101,17
S-tune Front Brake Pad		41060-RN27Z	1	22.000		158,98
S-tune Rear Brake Pad		44060-RN13P	1	20.000		144,53
Brake Hose 	For Standard Caliper	46200-RSV50	1	36.500	Not only is initial braking pursued but excellent control and front and back balance has been achieved. In addition, obtaining stable performance from the normal to the high-load range and suppressing the attack of the rotor reduces rotor wear and makes it more difficult for the wheels to become dirty.	263,76
	For Brembo Caliper	46200-RSZ30	1	29.800	Brake Hose: Shortens the pedal stroke during high loads. Improves pedal touch and response.	215,34







**POWERTRAIN)**

Description		Part Number	P/C	Retail Price (JPY)	Remarks	
Sports Clutch Disc	 COPPERMIX	30100-RS252	1	34.000	<p>"COPPERMIX" is a new friction material that greatly outperforms metal. The amount of copper, which has high heat resistance, was greatly increased in the facing material to transfer stabilized torque that is not affected by the change in heat to achieve a pleasant operation feeling. The lineup also includes the standby non-asbestos and ceramic metal B products.</p> <p>* Use with NISMO sports clutch cover</p>	245,69
	 Non-Asbestos	30100-RS254	1	31.000		224,02
	 Ceramic Metal B	30100-RSR40	1	24.000		173,43
Sports Clutch Cover		 30210-RSZ30	1	32.000	This is compatible with NISMO clutch discs COPPERMIX, non-asbestos, and ceramic metal B (each $\phi$ 250). The combination with COPPERMIX in particular increases the transmitted torque by 40% (1.4 times) at the normal ratio.	231,24
Lightweight Flywheel		 12310-RSZ30	1	45.000	This is a single plate lightweight flywheel that is indispensable for ignition systems and VTC drive systems. The rotation response during accelerator ON/OFF and acceleration performance have been improved.	325,18
Clutch Hose		 46211-RSZ30	1	6.500	This is a stainless steel mesh hose that has a much lower expansion rate than the genuine part rubber hose. It makes possible direct clutch operation to improve the clutch operation feel.	46,97
GT L.S.D. Pro	 2 WAY	38420-RSZ20-4A	1	118.000	This was developed for the Fairlady Z for super endurance races and has passed actual vehicle endurance testing in GT race cars. The initial torque can be switched among 3 stages (Low, Middle, High / 5,8,12 kgf) without disassembling the LSD unit.	852,71
	1.5 WAY	38420-RSZ15-4A	1	118.000		852,71

**EXHAUST)**

Description	Part Number	P/C	Retail Price (JPY)	Remarks	
 <p>WELDINA Stainless Steel Muffler</p>	20100-RSZ35	1	180.000	Durable all-steel construction (SUS304 used in main muffler). Three-part separation after catalyst, and the merger position of the front pipe was changed to acquire low- and medium-speed torque. The center pipe features an enlarged diameter to reduce exhaust pressure in the high-speed range. The exhaust noise is appropriately suppressed and measures were taken to improve its sound quality.	1300,74
 <p>Front Y Pipe</p>	20101-RSZ31	1	75.000		541,97
 <p>Headers</p>	14002-RNZ35	1	150.000	9 + HP increase over 3800-6200 rpm range at rear wheels, 13 HP and 13 lb-ft maximum increase at rear wheels, equal length tubing, individually hand-crafted, 100% T-304 stainless steel construction, 1.625 inch primary tube stepped up to 1.750 inch diameter, 2.25 inch collector, heavy-duty 3/8 inch flange.	1083,95
 <p>Sports Catalyzer</p>	208B0-RSZ30-Z3	1	140.000	Integrates the two genuine catalyzer that are in series on a single side with the metal catalyzer made by NISMO for turbo engines, which have violent emissions. This greatly reduces the exhaust resistance while achieving a high-level of exhaust cleaning.	1011,68

**EXTERIOR)**

Description	Part Number	P/C	Retail Price (JPY)	Remarks	
Aero kit	62010-RNZ30	1	250.000	The downforce was increased on both the front and the back to increase driving stability during high-speed driving. The front and rear downforce in particular were increased to improve tire road contact and driving stability. Importance was placed on aerodynamic testing verified in wind tunnel tests. Both of these products are unpainted and are finished with white gel coat manufactured by FRP.	<b>1806,58</b>
└ Front Bumper Spoiler	 62020-RNZ30	1	80.000		578,11
└ Side Skirt Set	 76410-RNZ30	1	65.000	Aero Kit: 4-piece set containing the front bumper spoiler, side skirt set, rear under spoiler set, and rear spoiler.	469,71
└ Rear Under Spoiler Set	 85050-RNZ30	1	45.000	Front Bumper Spoiler: bumper assembly replacement type Side Skirt Set (Right and Left): Side sill assembly replacement type Rear Under Spoiler Set (Right and Left): Installed to cover the rear bumper corner area	325,18
└ Rear Spoiler	 98100-RNZ30	1	75.000	Rear Spoiler: 3D curve wing type  * When installing on vehicles not having a genuine part spoiler, it is recommended that it be replaced with the following special back door stay with genuine part spoiler. (Part number RH: 90452-CD710 LH: 90453-CD710 one each, Ball Stud: 90456-CD000 x 2, Bracket: 90454-CD000 x 2 Nissan genuine parts)	541,97
Add-on Spoiler	96015-RN001	1	5.800		41,91
S-tune Sticker Set	 White Logo	99992-RN241	1	2.300	16,62
	 Black Logo	99992-RN242	1	2.300	16,62